

**OX TOOLS**

» The 25-foot Pro Stainless Steel Tape Measure from OX Tools showcases a 1 3/16-inch-wide double-sided tape with easy-to-read inch fractional markings with 1/8-inch increments. The nylon-coated tape blade boasts a 9-foot horizontal standout, rare earth magnets embedded in the tang that sticks to ferrous materials and its stainless steel case protects the tape from harsh environments.

[us.oxtools.com](http://us.oxtools.com)

**REVCO BLACK STALLION**

» The new TruGuard 250 Hi-Vis FR Cotton Jacket and Vest from Black Stallion are a true "first in the industry." They are the first value-priced FR-treated 100 percent cotton garments with ANSI/ISEA 107-2015 high-visibility compliance designed specifically for the welding, safety and industrial markets. TruGuard 250 garments meet a host of industry standards, including ASTM F1506, ANSI/ISEA 107 and NFPA 70E.

[www.revcoindustries.com](http://www.revcoindustries.com)

**STELLANA**

» Stellana Smoothy90 poly-urethane press-on tires offer maximum control and operator comfort while moving heavy loads in warehouses. Smoothy90's zero-TIR design and advanced polymer ensures the best ride while maintaining the load-carrying capacity of tires of higher durometer. The tire is nearly perfectly round at a softer hardness. The Smoothy90 also reduces heat build-up by eliminating hysteresis.

[www.stellana.com](http://www.stellana.com)

**SIMPSON STRONG-TIE**

» The Simpson Strong-Tie SCHA slide-clip connector is an ideal solution for panelized or stick-frame construction where cold-formed steel bypass framing anchors to the top of a floor slab or the bottom flange of a steel beam. The SCHA slide-clip connector comes with pre-punched holes for 1/4-inch-diameter Titen HD concrete screw anchors or 0.157-inch PDPAT pins, eliminating the need for pre-drilling and helping to ensure accurate anchor placement every time.

[www.strongtie.com](http://www.strongtie.com)

**SUHNER**

» Suhner's Rotomax flexible shaft machine can be anything you want — an angle grinder, straight grinder, drum polisher, belt sander, tube polisher or die grinder, simply by changing the hand piece. The Rotomax offers users a range of power from 2.0 to 4.7 horsepower and features electronically-controlled speeds from 500 to 15,000 rpm in increments of 100 rpm at the touch of a button. The Rotomax can be mounted on the wall to hang over the workbench, on a stand or on a specially-designed trolley for portability around the shop or plant.

[www.suhner.com](http://www.suhner.com)

**RIDGID**

» The new RIDGID Micro IR-200 Non-Contact Infrared Thermometer provides simple, quick and accurate surface temperature readings at the push of a button. Simply squeeze the trigger and point the ultra-sharp dual Class II lasers at the surface being measured to obtain a reading. New features include the ability to take measurements from farther away (30:1 distance-to-spot ratio compared to 20:1); higher temperature measurement (-58 to 2192 F compared to -58 to 1472 F); and an adjustable emissivity setting to accurately measure the temperature of virtually any surface. Extra features include audible and visual high and low alarms, a bright backlit display and a tripod mount.

[www.ridgid.com](http://www.ridgid.com)

**ALL MATERIAL HANDLING Lifting Equipment**

*With USA load chain,  
assembled &  
tested in the USA  
Optional self-locking hooks*



**ONE STOP SHOP  
HOISTS**

**RIGGING  
HARDWARE**

**SLINGS**

**877-LIFT AMH**  
[allmaterialhandling.com](http://allmaterialhandling.com)

**KEEP YOUR PROFITS AT HOME**

THE  
BRUSH  
MAN

MANUFACTURER &  
MASTER DISTRIBUTOR

THE GREAT  
DANE  
TOOL COMPANY

[www.greatdanetool.com](http://www.greatdanetool.com)



The Brush Man, LLC • 602 W. Hickory • Mahomet, IL 61853  
[www.brushman.com](http://www.brushman.com) • [sales@brushman.com](mailto:sales@brushman.com)

**DON'T SEND THEM TO THE DEPOT**



**Curb Roller**

**CURB ROLLER MANUFACTURING**

Changing the way contractors  
around the world pour concrete!

[www.curbroller.com](http://www.curbroller.com) | 785-467-3132



**WIHA**


» Over-tightening screws is a thing of the past with Wiha Tools' new TorqueControl SoftFinish Pistol Ratchets. The tool gives a distinctly audible and perceptible click signal when torque is reached and an integrated cycle counter records all applications. A digital display offers easy viewing. Two handle sizes are proportioned to optimize torque settings.

[www.wihatools.com](http://www.wihatools.com)

**GREENLEE**

» Greenlee Textron Inc. launches a new line of Gorilla pressing tools designed for joining pipe safely by eliminating the need for an open flame and a hot-work permit on the job site. Two new tools include the inline battery pressing tool (INLNPRESS-TOOL19kN) for pipe from 1 1/4 to 1 1/2 inches and the pistol grip battery-powered pressing tool (PSTL-PRESS-TOOL32kN) for 2 -to 4-inch pex, copper and steel.

[www.greenlee.com](http://www.greenlee.com)

**WALTER SURFACE TECHNOLOGIES**

» Walter's new and improved Topcut sanding disc now features an upgraded formulation of a blue zirconium grain blend which the company says removes more material faster and makes it the highest performing Zirconium grade disc on the market. Topcut delivers maximized stock removal on any given surface, removes material 50 percent faster than the previous model, runs cooler and has a longer lifespan.

[www.walter.com](http://www.walter.com)

**COXREELS**


» Coxreels 300 Series Exhaust hose reels enable the extraction of exhaust fumes directly from the source of emission and maintain the safest workplace air quality. The reels conveniently store lengths of large-diameter exhaust hose and mount to any wall, overhead and floor position. Their heavy-duty frame and components are powder-coated for excellent resistance in any environment.

[www.coxreels.com](http://www.coxreels.com)

**BOSCH TOOLS**

» The Bosch Starlock family of oscillating multi-tools and accessories includes the model GOP40-30 for heavy-duty applications. It offers 4.0-amp power with reinforced metal gearing for optimal force transmission. Its three-degree oscillating arc makes for better accessory utilization and increased productivity, and an ergonomic design with small grip diameter aids user comfort. It weighs only 3.3 pounds.

[www.boschtools.com](http://www.boschtools.com)

**MORTAR NET**

» Mortar Net Solutions' patented, factory-assembled TotalFlash is a complete system that combines a flashing membrane with a mortar-dropping collection drainage mat, weep tabs, drip edge and termination bar into single, easy-to-install panels. The system is proven to cut installation time by up to 50 percent vs. field-installed through-wall flashing pieces and parts. It is available in 5 foot, 6 inch (5 foot net) panels and 50-foot rolls.

[www.mortarnet.com](http://www.mortarnet.com)

**ROCKLER**

» Rockler Pipe Clamp Mounting Brackets attach to the crossbeam of a sawhorse or to 2x stock, anchoring a standard 3/4-inch pipe clamp so it can hold material on top of the sawhorse or serve as an on-site vise for such operations as planing door edges. Sold in sets of two, the brackets are made from heavy-duty steel and mount to any 1 1/2-inch-thick beam with the included screws.

[www.rockler.com](http://www.rockler.com)

**beck**  
FASTENER GROUP



Squeak-Free Moments.

R|D|J Booth #402



- Upper thread adds clamping force, prevents micro-movement
- No smooth section between threads
- 20° + 33° plastic strip, 15° wire coil & 0° plastic sheet coil collation
- Patent pending DIAMOND COATING for vastly improved holding power

20° 33° 15° 0°

HIGHLY ADHESIVE  
DIAMOND  
COATING  
PATENT PENDING

## SubLoc® PRO

for squeakless subfloors

- Aggressively designed double-thread creates clamping force that stops squeaks
- Finish faster - twice as fast as collated screws
- IAPMO code approved (ER#406)
- Quickly installed with a pneumatic nailer



Master Distributor  
**FASCO**  
AMERICA

Get professionally connected  
by visiting  
[www.fascoamerica.com](http://www.fascoamerica.com)  
or call 800-239-8665.

BECK Fastener Group®, FASCO America®, SCRAIL® and SubLoc® PRO are registered trademarks of the BECK Fastener Group.

## THE BEST GOT EVEN BETTER

### ALL NEW UPGRADED HMD904 MAG DRILL

More features for safer,  
productive holemaking

New features include...

- LED Pilot Light
- Two Stage Magnet
- Hex Wrench Holder
- D-Ring Safety Chain Hook
- Slot Drive Arbor
- Ergonomic Housing
- Reinforced Motor Case

**Hougen**



800-426-7818 SERVICE • INTEGRITY • RELIABILITY [HOUGEN.COM](http://HOUGEN.COM)





**CONTINENTAL ABRASIVES**

» Continental Abrasives line of ULTICUT cutting and grinding wheels feature Shieldtech aluminum-oxide grain which Continental says provides increased life, cooler cutting and grinding and a better finish, making them perfect for non-ferrous and ferrous metal like stainless steel.

[www.continentalabrasives.com](http://www.continentalabrasives.com)



**PREBENA**

» With the roll-controlled Slider 4C and Slider 5C from PREBENA, timber frame paneling construction can be done quickly, easily and effectively. The PREBENA Slider 4C fires type Z staples up to 50 mm; the 5C handles is type Z up to 75 mm. Both tools fire at 30 degrees according to Eurocode 5 and are ideal for plasterboard, gypsum fiberboard and wooden composite board in timber work and timber frame construction.

[www.prebena.de](http://www.prebena.de)



**KREG TOOL**

» Kreg clamps, clamp systems and clamp tables are available in multiple styles and sizes to offer a wide variety of clamping solutions. The model KBC3-SYS Bench Clamp System allows the user to add a versatile 360-degree bench-top clamping station to almost any work surface. It includes one three-inch bench clamp, one clamp plate and mounting hardware.

[www.kregtool.com](http://www.kregtool.com)



HOW DO YOU **HIRE & TRAIN** THE NEXT GENERATION OF LEADERS FOR YOUR COMPANY?

JOIN TODAY

THE INDUSTRIAL SUPPLY ASSOCIATION IS YOUR SINGLE **BEST SOLUTION**

Build the skills of your newer associates with the professional development programs offered through the ISA Education Foundation's Learning Center.

Plan for you and your new associates to attend the Foundation's regional Best and Brightest professional development programs.

Bring your new associates to the ISA annual convention's exceptional professional development sessions.

Enroll your new associates in ISA's exclusive Emerging Leaders Group.

Have your newer associates attend the ISA-sponsored University of Innovative Distribution.

To identify future associates, get actively involved in the Industrial Careers Pathway (ICP). This professional development program introduces high school and college students to a career in our great industry.



NETWORKING | RESEARCH | PROFESSIONAL DEVELOPMENT | ADVOCACY

**Find out why Grabber® is the professional's first choice**

- ▶ **Unibody design**  
Assures consistent spacing in board gapping
- ▶ **Built-in security**  
Securely grips deck boards to permanently lock them into place
- ▶ **NEW four winged design**  
For the strongest deck clip available with 30% more steel — Made from the highest grade steel.

**DECKMASTER G6 HIDDEN DECK FASTENING SYSTEM**

**NEW STRONGER DESIGN**  
GRABBERGARD 30 YEAR GUARANTEE DECKMASTER

PATENT PENDING

stronger — better — more secure

**GrabberGard** Superior Corrosion Protection Pressure treated lumber approved

GrabberGard® Salt spray results ASTM B117 2,000 hours salt spray and 30 cycles Kesternich per DIN50018, no red rust.

**GRABBER CONSTRUCTION PRODUCTS**  
"The Professional's Choice"


[www.grabberman.com/DeckSolutions.aspx](http://www.grabberman.com/DeckSolutions.aspx)



**WOOD INDUSTRIES**

» Eagle Silent Series compressors boast of being the quietest compressors designed for professional contractors. Robust metal tubing and metal control panels encase the compressor and controls. Gauges are set on a 60-degree angle for reading from a standing position. Seven models range from one to 20 gallons with air deliveries of one to six cfm.

[www.eaglecompressor.com](http://www.eaglecompressor.com)

**FALLTECH**

» FallTech's new line of reusable rotating swivel anchors offer a swivel design that provides 360-degree D-Ring rotation and 180-degree swivel are extremely versatile in that they offer permanent and portable structure mount options for steel. When working at heights, strength is important, the FallTech anchors are available in 5,000- or 10,000-pound tensile strength and rated for up to a 425-pound worker. Most importantly, they meet the applicable OSHA regulations and ANSI standards.

[www.falltech.com](http://www.falltech.com)

**ORS Nasco**  
An Essendant Company

**GROW  
Your Business  
WITH  
ORS NASCO**

**Your Safety Solution  
in Construction and  
Industrial Business**

[orsnasco.com](http://orsnasco.com) • 800.678.6577

GETRACED

**CS UNITEC**

» CS Unitec's ELS 225.1 Long-reach Drywall Sander with VacuGlide prepares wall and ceiling seams with a smooth finish quickly, cleanly and with 60 percent less effort. The adjustable suction of the VacuGlide System allows for easier guiding of the sander and reduces the perceived weight of the tool to 3.3 pounds.

[www.csunitec.com](http://www.csunitec.com)

**Equipment that pays off!**

Wacker Neuson has a large selection of equipment with in-store appeal all backed by our leading sales, marketing and service support team. Known for its job site performance and reliability, the Wacker Neuson brand has a solid reputation that will keep your customers coming back for more and improve your bottom line.

[www.wackerneuson.com](http://www.wackerneuson.com)



**WACKER  
NEUSON**

*all it takes!*



# FAST CLEAN RELIABLE



Traditional Concrete Drill Bit



Speed Clean™ Dust-Extraction System



Drill and clean holes in concrete with 50% labor savings, reduce jobsite dust and replace the traditional blow-brush-blow method with a dependable alternative. The Speed Clean™ Dust Extraction System, developed in conjunction with its alliance partner Robert Bosch Power Tool Corp., is a comprehensive drill bit-and-vacuum system that produces precise, clean holes in concrete that are code tested with Simpson Strong-Tie® SET-XP® and AT-XP® anchoring adhesives.

Save time and money. Make the switch today. Learn more by calling (800) 999-5099 or visiting our website [strongtie.com/speedclean](http://strongtie.com/speedclean).

