

**HITACHI**

» Hitachi's new battery-powered cordless brushless nailers include the NT1850DE 18-gauge 2-inch brad nailer (shown), the NT1865DM 16-gauge 2 1/2-inch straight finish nailer and the NT1865DMA 15-gauge 2 1/2-inch angled finish nailer. Hitachi's upgraded compact 3.0-Ah Lithium-ion battery delivers the power needed in about half the weight of predecessors.

www.hitachipowertools.com

**REVCO / BLACK STALLION**

» The Black Stallion FlakFinger is an adjustable fiberglass sleeve that includes a finger pocket and a leather reinforced "tail." Slide the FlakFinger over a TIG glove, secure the leather strap and keep your fingers and the side of your hand protected during long welding runs.

www.blackstallion.com

**WEILER ABRASIVES GROUP**

» Weiler's upgraded Roughneck Max wheels are made of proprietary wire that is stronger, sharper and more resistant to breakage, even during aggressive brushing. They claim 40 percent more cleaning power than the closest competitor. Weiler Wolverine 4-inch stringer bead wheels, previously known as Vortec Pro, have an improved brush design that delivers a 20 percent longer life.

www.weilercorp.com/max

**COXREELS**

» The redesigned fluid path of Coxreels' V-100 Series vacuum hose reels for 1.5- or 2-inch hose feature improved O-ring sealing for greater vacuum consistency and performance. A new swivel retention system has strengthened the frame and prevents separation of the swivel under excessive lateral loading. Plus, zinc plated swivel components offer greater corrosion protection.

www.coxreels.com

UNITED ABRASIVES / SAIT

» The Ultimate Grind by United Abrasives / SAIT is the latest addition to the company's "Made in the USA" Premium Performance product line. The 1/4-inch Ultimate Grind wheel has a proprietary grain and bond system offering high performance grinding of metal and stainless for the toughest applications.

www.unitedabrasives.com



PRO REEL INDUSTRIAL™

HEAVY DUTY RETRACTABLE EXTENSION CORD REELS



Rugged, Thermo Plastic Cord Reel. Capable of Holding Extra Long Cord Lengths Up to 85 Feet. Handles Standard Cord Gauges 12/3, 14/3 and 16/3. All Models with Overload Protection.

- Retractable Tangle-free Cord Storage
- Oil Resistant & Cold Weather Flexible Cord
- Convenient Carry Handle
- Steel Bracket for Wall or Ceiling Mounting (Hardware and instructions included)

CATALOG NO.	8665TFS	8665TFQ
FEATURES	Resettable 15 Amp Circuit Breaker. Single, Clear Tandem 5-15R/20R Receptacle with Lighted End	Resettable 15 Amp Circuit Breaker. Quad Tap (4) Outlet 5-15R Receptacle with Lighted End
UPC	0-40082-43059-3	0-40082-43060-9
CORD TYPE	12/3 SJTOW, 65FT	12/3 SJTOW, 65FT
MAX. RATING	1875W, 15Amps, 125V	1875W, 15Amps, 125V
PACK	2 EACH, 21 lbs, 0.9 CU.FT	2 EACH, 22 lbs, 0.9 CU.FT
CATALOG NO.	8645TFI	8675MFT
FEATURES	Resettable 20 Amp, In-Line Circuit Breaker. Single Clear, Tandem 5-15R/20R Receptacle with Lighted End, 5-20P Male Plug.	Resettable 10 Amp Circuit Breaker. Clear Tri Tap, (3) 5-15R Outlets with Lighted End. Center Outlet with Plug Locking Function
UPC	0-40082-43061-6	0-40082-43067-8
CORD TYPE	12/3 SJTOW, 45FT	14/3 SJTOW, 75FT
MAX. RATING	2500W, 20Amps, 125V	1250W, 10Amps, 125V
PACK	2 EACH, 16 lbs, 0.9 CU.FT	2 EACH, 18 lbs, 0.9 CU.FT
DIMENSIONS	Reel - 13 1/2" O.D. x 5 1/2"W x 15 1/2"H (including handle) Bracket - 9 1/2"L x 1 3/4"W x 3 3/4"D	

※ Custom Models with various colors, cord types and end fittings available.



Alert Stamping & Mfg. Co. Inc.
24500 Solon Rd., Bedford Heights, OH 44146
www.alertstamping.com | 1-800-400-5020

DRILTEC DRILTEC
PERFORMANCE IN YOUR HAMMER
Now Dustless!
NEW! 4-go EXPERT™
HELLER ANCHOR BORE
driltec.com
helleranchorbore.com

HIT® THE ORIGINAL
The Tools Professionals Use
Rebar Cutter for over 93 years
Rebar Bender
Rebar Cutter
Cuts 3/4" Grade 60
HIT TOOLS USA
4001 E. Santa Ana Street, Ontario, CA 91761, USA
Tel: (909) 974-0369 Fax: (909) 390-5293
E-mail: Sales@hittools.com Web site: www.hittools.com

**IRWIN TOOLS**

» IRWIN Tools' new line of one-handed bar clamps and accessories enable users to transform the basic one-handed clamp into specialty clamps — such as the decking clamp shown — for completing multiple operations with one tool. Accessories include edge and corner clamps, couplers, tie-downs and clamp stands.

www.irwin.com

**SENCO**

» Senco's new Channel Fit Nosepiece for DuraSpin auto-feed screw system tools gives commercial construction professionals a better way to tackle metal-to-metal fastening applications, eliminating dropped screws and material waste while increasing speed and accuracy. This nosepiece allows the tool to feed screws easily into recessed channels up to 1.8 inches deep. The nosepiece handles screws 1/2 to 1 inch long.

www.senco.com

PORTER CABLE

» The Porter Cable 20V MAX* Lithium-ion brushless impact driver, model PCCK647LBLW, is just 5.8 inches in length and weighs only 2.9 pounds with its battery. The brushless motor and transmission generate 1,400 inch-pounds of maximum torque for large fasteners and the variable-speed trigger delivers 0-2,700 rpm. It carries a three-year limited, one-year service and 90-day money-back guarantee.

www.portercable.com

**LARSON ELECTRONICS**

» For those really long lighting runs, Larson introduces a 510-foot LED string light set. Its 51 industrial-grade LED lamps with 10 feet of 12/4 SJTW cable between each unit stretch a total of 510 feet in length. Each globe light is equipped with a high-output A19 style LED lamp which produces 1,050 lumens per lamp. Each lamp housing is constructed of lightweight aluminum and fitted with an impact- and shatter-resistant polycarbonate diffuser.

www.larsonelectronics.com

**SCENIC ROAD MANUFACTURING**

» Proudly made in the USA, Scenic Road wheelbarrows feature extra-heavy-duty high-density polyethylene trays, extra-heavy-duty powder-coated steel undercarriages and extra-thick American ash handles. The line includes 6-, 8- and 10-cubic-foot tray capacities, single- and dual-wheel models and four tire tread options.

www.scenicroadproducts.com

**TIGERSTOP**

» TigerStop introduces integrations for the Piranha Ironworker with SawGear, for extremely accurate lengths when shearing — and with TigerStop — for a fully automated punch process. For highly accurate parts lengths, the Piranha operator can now simply enter a length into the SawGear controller and the stop moves to position. The operator then places material through the shear against the stop, and cuts.

<http://info.tigerstop.com/piranha-ironworker-automation>

KETT TOOL

» Kett Tool's new KL-2020 14-gauge wrench-free nibbler has a rotating head for easier operation and a unique die design that allows unmatched maneuverability in cutting sheet metal. The nibbler can be locked into four positions (in 90-degree increments). A rotation of the hand changes the angle of the die while the free-floating punch design extends time between replacements.

www.kett-tool.com



Introducing Safety-Touch™

Push-Button Safety Coupler

- Single Press Disconnect
- 6 Balls for Secure Connection
- Molded Protective Cover



ATP
ADVANCED
TECHNOLOGY
PRODUCTS

Call 937-349-4055 or Visit www.atp4pneumatics.com

**SIMPSON STRONG-TIE**

» Outdoor Accents decorative connectors and fasteners from Simpson Strong-Tie provide both design elegance and structural strength to custom outdoor living structures. This load-rated, patent-pending hardware accommodates 4x and 6x lumber sizes, providing the flexibility installers and designers need when designing and building custom outdoor structures.

www.strongtie.com/outdooraccents

PUMA
AIR CENTER

WE MANUFACTURE
FULL LINE OF CONTRACTOR COMPRESSORS



Puma Industries, INC.
1992 Airways Blvd Memphis, TN 38114
901-744-7979 / sales@pumaaircenter.com
www.pumaairusa.com

ProBuilt Professional Lighting, LLC | Designed for the Pros



WOBBLIGHT | **HANG-A-LIGHT** | **PROLIGHT**



COLUMBUS MCKINNON

» Columbus McKinnon redefines ratchet lever hoists with the new CM Tornado 360°, featuring the revolutionary Sidewinder lever handle. Ergonomically designed for increased safety, the patent-pending CM Tornado 360° allows the operator to be more productive with significantly less effort compared to conventional ratchet lever tools.

www.cmworks.com

K-SUN CORP.

» The Epson Labelworks PX LW-PX700 industrial label maker creates durable, custom and compliant labels, wire markers and more up to 1 inch (24 mm) wide. Features include auto tape rewind for material savings, a mixed-length hot key that lets users create multiple uniform and variable-length labels on the same strip and a Pick-and-Print function that prints, cuts and holds a single label until it is removed.

www.ksun.com



AIRMASTER FAN

» Airmaster's all-new heater lineup includes five units. These rugged units include a 5,120-Btu/h portable ceramic heater, a milkhouse heater with either 5,118 or 4,436 Btu/h, a mask heater which delivers 2,047, 3,071 or 5,120 Btu/h and two salamander heaters which produce either 51,180 or 102,360 Btu/h.

www.airmasterfan.com



Southwire™

TOOLS & EQUIPMENT



POLAR/SOLAR®

SUPREME COLD WEATHER EXTENSION CORD

Extreme Cold Performance – The Polar/Solar® Supreme Extension Cord is made with our exclusive T*Prene insulation jacket. T*Prene is formulated to offer superior job site performance in extremely cold weather. Polar/Solar® Supreme Cord is abrasion, chemical and oil resistant for survival in the toughest of environments.



**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-SWTOOLS | 1-855-798-6657
SOUTHWIRETOOLS.COM

©2016 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™ Trademark of Southwire Company, LLC.

MANUFACTURER & MASTER DISTRIBUTOR



602 W. Hickory
Mahomet, IL 61853
ph 800-274-6898
fx 800-274-3369
www.brushman.com
sales@brushman.com

HELP YOUR CUSTOMERS THINK
OUTSIDE THE 'BIG BOX'!



Everything You Need for Cutting and Grinding.



Lackmond Products® is your trusted partner – providing high-quality, professional diamond tools for your cutting and grinding needs.

LACKMOND®

PROFESSIONAL DIAMOND TOOLS & EQUIPMENT

800-850-2044 | Lackmond.com



WORLD OF CONCRETE VISIT US! JANUARY 17 - 20, 2017
BOOTH# C4555, C4563, C4565

Your Trusted Partner