New Products «



DEWALT

>> The DXH70CFAV Forced-air Propane Heater is cordless! It works with all DEWALT 20V MAX or FLEXVOLT batteries and runs more than eight hours on a fully charged 5.0-Ah battery. Its patent-pending Quiet Burner Technology is about 50 percent quieter than most forced air units. It runs at 68,000 BTU/ hr. on high using a 20-pound LP tank. Hose and regulator are included.

www.dewalt.com



>> Lind Equipment's new Beacon LED Tower is the first light tower to be built by a lighting company, not a generator company. The Beacon can run on external electrical power or a usersupplied small generator/inverter. These lights are warrantied for three years and rated for over 50,000 hours.

www.beaconledtower.com



HITACHI

>> Hitachi's new 18V Brushless 3 1/4-inch model CB18DBLP4 band saw is designed for fast, accurate and smooth cuts through conduit, steel pipes, power cables, aluminum window frames and plastics. It achieves a variable speed from 260 to 640 sfpm. It can cut up to 3 1/4-inch round pipe and 3 1/8-inch square pipe. It weighs 6.45 pounds without battery and also has overload and overheat protection.

www.hitachi-powertools.com



NATIONAL NAIL/STINGER

>> Stinger introduces the newly upgraded CH38-2 cap hammer, fine-tuned for durability and performance. The CH38-2 has been enhanced with increased internal handle strength, an improved staple design, track and spring, stronger welds and an added handle grip. The CH38-2 has a fastener capacity of 168 1-inch collated plastic caps and 3/8-inch crown staples.

www.stingerworld.com

MITEK USP

» INCREDI-BOND high-strength, non-sagging twocomponent epoxy for almost all household materials is moisture-insensitive, has a two-year shelf life when stored unopened between 40 and 95 degrees. It offers over 1,000 psi bond strength in two days, has a quick cure time of two hours and a working time of 20 minutes.


www.mitek-us.com



>> Bon Tool's new line of Italian-made brushes are designed for decorative plaster techniques such as Venetian splatter and white wash finishing. Multiple brush sizes are available for each of the six new brush styles: American-style flat brush: Milano ceiling brush; Italian white wash brush; Vento oval brush; 2 1/4-inch Venetian splatter brush: and 2 3/4-inch Venetian splatter brush.

www.bontool.com









EPOXY

Join DPA for FREE by contacting us:

1-800-652-7826 - DPA@DPABuyingGroup.com - JoinDPA.com

AMH

SURFACE SHIELDS

>> The Surface Shields Builder Board Seamer upright tape applicator is perfect for quickly seaming sheets of surface protection together. It has an all metal frame, a construction-grade plastic tape spindle, a durable rubber bottom roller and a soft grip handle. It weighs about 10 pounds and reduces installation time by more than 60 percent. Its nearly 4-foot height makes it easy to use.

www.surfaceshields.com

CS UNITEC

>> CS Unitec's 4.0-horsepower chain saw and pipe clamp system is ideal for clean, straight and oil-free cutting of High Density



Polyethylene (HDPE) heavy-wall pipe. Model 5 1027 0040 PC has a chain brake to stop chain kickback. The clamp holds the saw to the pipe for straight cuts and safe operation. It consumes 92 cfm of air at 90 psi and comes with a 25-inch bar. Other bars are available:15-, 17- and 21-inch.

www.csunitec.com



GEARWRENCH

) GearWrench announces two new Mechanics Hand Tool Sets, including a 168-piece Metric set and a 232-piece Metric/SAE set. Both are easy to transport and allow automotive technicians and industrial mechanics a way to easily access tools to get the job done no matter where they

www.gearwrench.com



>> The new model PT850 lightweight 1/2-inch air impact wrench from Snap-on Industrial features a balanced ergonomic design and cushion-grip handle for continuous comfortable use. Weighing just 4.2 pounds, it delivers 600 foot-pounds of torque forward and 810 pounds in reverse. It features slow anvil start-up, a large regulator knob and uses 4.1 cfm to deliver 1,270 bpm.

www1.snapon.com/industrial

DYNABRADE

» New American-made 12,000-rpm Dynorbital Extreme series random orbital sanders claim the best horsepower ratings in their class. Available in 5- and 6-inch diameter models, they are available in non-vacuum and central vacuum models. A 3/16-inch-diameter orbit is offered for general sanding applications and a 3/32-inch-diameter orbit is also available for ultra-fine sanding.

www.dynabrade.com







» New Products



SENCO


>> SENCO WhisperGrip subfloor nails feature a patented step ring design that was originally developed in collaboration with the manufactured housing industry to better grip subfloor and sheathing material, maximize holding power and reduce squeaks. They come in 2-, 2 3/8- and 2 1/2-inch lengths for 15degree SENCO coil nailers.

www.senco.com



>> The Kreg Accu-Cut offers an easy-to-use, affordable solution that provides the cutting performance of a table saw at a fraction of the price. The portable, durable Accu-Cut allows you to take your saw to the work piece to rip, crosscut and make angled cuts up to 48 inches, instead of having to bring your work piece to the saw. Anti-slip/anti-chip strips hold the track securely in place without clamps while cutting and prevent splintering of fragile plywood veneers.

www.kregtool.com



WALTER SURFACE TECHNOLOGIES

>> Walter Surface Technologies introduces the Xcavator with Comfort Max Technology, a uniquely engineered grinding wheel that reduces grinding time while increasing operator comfort and productivity in industrial metalworking applications. Comfort Max Technology helps minimize vibration and provides operators with more comfortable, ergonomic working conditions, without sacrificing performance and safety.

www.walter.com

GO TO Set fresh New Products every day at www.ContractorSupplyMagazine.com



KOOLGATOR

>> KOOLGATOR full-and half-size cooling towels with the same great customization and branding options as cooling neck wraps. Every KOOLGATOR order starts with white fabric that is then digitally printed in full color. Print your company logo, marketing messages, safety slogans, photos or anything you want over the entire

www.koolgator.com



LEGACY FLEXZILLA

>> Flexzilla Pro Field Repairable Air Hose features extreme all-weather flexibility, from -40 to 140 degrees, won't kink under pressure with a durable, abrasion-resistant outer cover. The hose ends are reusable and the hose itself can be repaired quickly in the field by using a splicer or cutting out the damaged section and reattaching the hose end. Hose ends can also be replaced if worn or damaged.

www.flexzilla.com

